

+48 697 530 240 +48 61 876 89 46 info@rexelpoland.com



FABRIC REWINDING-INSPECTION MACHINE PP-3SE

Rewinding-inspection machine with backlight and more powerful winding unit (from the roll cradle onto the tube), and digital length measurement device and a touchscreen. After rewinding the set length of fabric, the receiving shaft stops automatically (possibility of rewinding to a required length).

Key features:

- Rewinding / inspection machines with backlighting screen provide fast, easy quality control and measure fabric length.

- Machines can have a built-in lay manual (version /R) or semi-automatic (version /A) endcutter for increased efficiency in the workplace.

- A perfect choice for all textile manufacturers and businesses that deal with any kind of fabric.

- The machine winds fabric from a roll placed inside the cradle on a core placed on a winding shaft.

- High winding speed (50 m/min or 60 m/min).
- Digital counter and touch screen panel for machine control.
- Easy fabric roll installation.
- Frame made of powder-coated steel.

Safety features:

Immediate machine stop in case when an emergency stop button is pressed;
For safety reasons, it is not possible to start the machine after emergency situations unless the operator resets the machine (accidental self-start safeguard);
The machine is protected using special safety relays made by Omron.

Available models:

PP-3SE Rewinding-inspection machine with backlight and more powerful winding unit (from the roll cradle onto the tube), and length measurement device. PP-3SE/R Additionally equipped with manual fabric end cutter OT-1/R. PP-3SE/A Additionally equipped with semi-automatic fabric end cutter OT-1/A.

Specifications:

Model: PP-3SE Maximum width of fabric roll: 190 cm (74,80") Maximum roll diameter: 50 cm (19,69") Maximum rewindable weight of roll: 70[kg] Voltage: 230[V] Motor power: 0,55[kW] Maximum winding speed: 50-60 m/min Screen size: 200 x 50 cm (78.74" x 19.68") Screen: Yes Counter for yards or meters: Yes Cradle for roll: Yes

Attention:

This machine is not designed for elastic materials and the counter may show incorrect length due to material stretch during rewinding.









