



Scan the code

OUTDOOR AUTOMATED PARCEL LOCKER

Key features:

- The parcel locker is an automatic machine designed for receiving and sending parcels, available 24 hours a day. It allows for convenient and quick collection of parcels without the need to stand in queues or adhere to time constraints. These lockers are typically located in public places, such as shopping malls or gas stations.
- Parcel machines were developed through a successful collaboration between REXEL SP. Z O.O. and Pointpack S.A.
- Our machines feature a modular design, enabling them to operate in a variety of convenient configurations.
- Currently, in partnership with Pointpack S.A., we are producing 2,000 external parcel machines for Poczta Polska (Polish Post), which are projected to handle over 20 million parcels annually.

Why choose our devices?

- **Durability:** Our machines are constructed from stainless steel and hot-dip galvanized sheet metal with Magnelis® coating, ensuring exceptional durability in even the most challenging environmental conditions. Our parcel lockers utilize high-quality anti-graffiti paints that allow for easy removal of dirt.
- **Integration:** Pointpack S.A. provides efficient and seamless IT integration, making it convenient for both courier and retail systems. We manage the entire investment process from A to Z—manufacturing, transporting, installing, and preparing your parcel machine for operation.
- **Expertise:** With over 30 years of experience from REXEL SP. Z O.O. in machine and device production, alongside 10 years of experience from Pointpack S.A. in developing software for the courier industry, we guarantee a high-quality product that will meet your expectations.

Outdoor Parcel Locker:

- Parcel Locker 56-BOX: a small outdoor solution in a 28-20-8 box configuration (small-medium-large).
- The above parcel locker can be expanded with an additional module containing 20 lockers.
- Parcel Locker 76-BOX: medium external solution with a 38-27-11 locker configuration (small-medium-large).



