+48 697 530 240
+48 61 876 89 46
info@rexelpoland.com

Scan the code

PNEUMATIC ROLLER LIFTING TABLE ST-3 HDK ROL 3000

The ST-3 HDK ROL 3000 table is equipped with a roller conveyor instead of a tabletop. The rollers reduce surface friction, allowing materials to be moved manually without the need for force. The foldable roller conveyor side sections are mechanically locked in the working position using handles, ensuring stability and safe operation. The table is designed for lifting heavy items (up to 320 kg) and is equipped with two pneumatic cylinders that provide adequate support for the entire structure. Moving parts of the table are supported by reinforced profiles for increased durability. A hydraulic braking system prevents the table from bouncing.

Key features:

- This solid construction is based on steel profiles and pneumatic cylinder.
- The pneumatic cylinder is foot-controlled.
- The table has a connection slot for pneumatic tools.
- After turning the table off it blocks automatically (cutting power off does not make the table fold).
- It has been proven that using our lifting tables decrease the use of energy by 15% in comparison to upholstery trestles.
- An increase in productivity of at least 14% has been observed when employees used our lifting tables instead of regular upholstery trestles.

Technical Specifications:

Model: ST-3 HDK ROL 3000
Operating pressure: 6 bar (87 psi)
Tabletop dimensions: 3000 mm x 900 mm (118.1" x 35.4")
Pneumatic cylinder: 2 x D125 x 600 mm
Minimum height: 320 mm (12.6")
Maximum height: 1270 mm (50.0")
Maximum load capacity: 320 kg (705 lb)









